



UNITED STATES PATENT AND TRADEMARK OFFICE

A

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/039,579	12/31/2001	Dion Rodgers	042390.P12496	2197

7590 07/28/2005

Jeffrey S. Draeger
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP
Seventh Floor
12400 Wilshire Boulevard
Los Angeles, CA 90025-1026

EXAMINER

TSAI, HENRY

ART UNIT	PAPER NUMBER
----------	--------------

2183

DATE MAILED: 07/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/039,579

Applicant(s)

RODGERS ET AL.

Examiner

Henry W.H. Tsai

Art Unit

2183

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 5/12/04.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 70-116 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 98, 100 and 103-107 is/are allowed.
- 6) ☒ Claim(s) 70-97, 99, 101, 102 and 108-115 is/are rejected.
- 7) ☒ Claim(s) 116 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 31 December 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 8/5/02 3/19/03 8/12/03 6/18/04 2/18/05
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Art Unit: 2183

DETAILED ACTION

Drawings

1. The drawings are objected to as failing to comply with 37 CFR 1.84(p) (5) because they do not include the following reference sign(s) mentioned in the description: "170" (page 7); "180" (page 7); "340" (page 12); "580" (page 16); "802" (page 22); "792" and "795" (page 23); and "1100" (page 27). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 2183

Specification

2. The disclosure is objected to because of the following informalities:

at page 2, lines 4, 6, and 7, the related application serial numbers are missing; and

at page 13, line 13, it is not clear what is meant by "according to ebb" since ebb is unknown.

Appropriate correction is required.

Claim Objections

3. Claims 73, and 75 are objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. In claim 73, "in response to an interrupt or fault" is just another kind of feature described in claim 72. therefore, claim 73 does not further limit the subject matter of claim 72.

Art Unit: 2183

Claim Rejections - 35 USC § 112

4. Claims 74-79, 89-92, 99, 101, and 102 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 74, it is not clear what is meant by "said monitor address is a selected memory type" since an address is not a type of memory. Similar problems exist in the other claim 75, line 10.

In claim 79, it is not clear how an instruction buffer be combined since which element is to be combined to was not defined.

In claim 89, lines 1-2, "said plurality of partitionable resources" lacks proper antecedent basis since it was not defined.

In claim 99, it is not clear what is meant by "ignoring a second set of events" since it is not understandable. Note the second set of events was not mentioned. Therefore, the ignore step is meaningless.

In claim 101, it is not clear what is meant by "said linear address must correspond to a predetermined type of memory" since an address is not a type of memory.

Art Unit: 2183

Applicant is required to review the claims and correct all language which does not comply with 35 U.S.C. § 112, second paragraph.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

6. Claims 70-97, and 108-115 are rejected under 35

U.S.C. 102(e) as being anticipated by Emer et al. (U.S. Patent No. 6,493,741) herein referred to as Emer et al.'741.

Referring to claim 70, Emer et al.'741 discloses as claimed, a processor (CPU 100 see Fig. 2) comprising: a plurality of execution units (thread processing units TPU #1 to TPU #N see Fig. 2) to execute a plurality of threads; suspend logic

Art Unit: 2183

(Quiesce Logic 110, see Fig. 2) to set a monitor address (lock address 139 in memory 137, see Fig. 2) in response to a first instruction (such as LDQ ARM R1, (R5), see Col. 6, line 56) in a first thread according to an implicit operand in a predetermined register (event identification register 103, see Figs. 2 and 7) and to suspend the first thread in response to a second instruction (such as QUIESCE instruction, see Col. 6, lines 55-59) of the first thread; a monitor (event monitor 109, see Fig. 2) to cause resumption (see Col. 6, lines 1-6 regarding the TPU resumes execution) of the first thread in response to a memory access (see Col. 36, lines 1-6; regarding a change to the lock 139 referenced in the event identification register 103) to the monitor address.

Referring to claim 93, Emer et al.'741 discloses as claimed, a processor (CPU 100 comprising thread processing units TPU #1 to TPU #N see Fig. 2) comprising: a front end (comprising fetch thread chooser 301, see Fig. 3 or map thread chooser 351, see Fig. 4) to receive a first instruction (such as LDQ ARM R1, (R5), see Col. 6, line 56) and a second instruction, the first instruction having an implicit operand from a predetermined register (event identification register 103, see Figs. 2 and 7) indicating a monitor address (lock address 139 in memory 137, see Fig. 2); execution resources (thread processing units TPU #1

Art Unit: 2183

to TPU #N see Fig. 2) to execute the first instruction and the second instruction and to enter a first implementation dependent state (when an "armed" watch flag indication 105 is set, see Co. 5, lines 58-60) in response to the second instruction if the first instruction has been executed and no break events (break events such as a change to the lock 139 referenced in the event identification register 103) have occurred after execution of the first instruction; a monitor (event monitor 109, see Fig. 2) to cause exit from the first implementation dependent state in response to a memory access (see Col. 36, lines 1-6, regarding a change to the lock 139 referenced in the event identification register 103) to the monitor address.

Referring to claim 108, Emer et al.'741 discloses as claimed, a system (see Fig. 6) comprising: a memory (137 see Fig, 2 or 311 see Fig. 3) to store a first instruction (such as LDQ ARM R1, (R5), see Col. 6, line 56) from a first thread, the first instruction having an associated address operand specified by an operand, the operand being an implicit operand in a predetermined register (event identification register 103, see Figs. 2 and 7) indicating a monitor address (lock address 139 in memory 137, see Fig. 2); a first processor (one of the thread processing units TPU #1 to TPU #N see Fig. 2) coupled to said memory (137 see Fig, 2 or 311 see Fig. 3), said first processor

Art Unit: 2183

to enable a monitor to monitor memory transactions to detect a memory access (see Col. 36, lines 1-6, regarding a change to the lock 139 referenced in the event identification register 103) to said monitor address (lock address 139 in memory 137, see Fig. 2) in response to the first instruction and to cause resumption (see Col. 6, lines 1-6 regarding the TPU resumes execution) of said first thread in response to the memory access (see Col. 36, lines 1-6, regarding a change to the lock 139 referenced in the event identification register 103) to the monitor address.

As to claim 71, Emer et al.'741 also discloses: the processor of claim 70 wherein said monitor is to cause resumption of the first thread in response to events that cause a translation look-aside buffer to be

Flushed (since Emer et al.'741's system certainly uses a virtual addresses using "virtual" registers, and mapper 361, see Fig. 4, is best reasonably and broadly interpreted as a translation look-aside buffer see Col. 6, lines 40-49).

As to claim 72, Emer et al.'741 also discloses: the processor of claim 70 wherein said monitor is to cause resumption of the first thread in response to a write to a control register CRO (see Col. 5, lines 39-40, regarding the

Art Unit: 2183

write to a specified location in memory space and this the situation the location is a control register).

As to claim 73, Emer et al.'741 also discloses: the processor of claim 72 wherein said monitor is to cause resumption of the first thread in response to an interrupt or a fault (see Col. 5, lines 39-40, regarding the write to a specified location in memory space and note the write will eventually cause an interrupt for the I/O operation).

As to claims 74 and 75, Emer et al.'741 also discloses: as best understood, said suspend logic (Quiesce Logic 110 see Fig. 2) is only to suspend said first thread if said monitor address (Lock 139, see fig. 2) is a selected memory type (the address type in memory 137, see Fig. 2).

As to claim 76, Emer et al.'741 also discloses: the processor of claim 74 wherein said selected memory type is a write-back type of memory (since the memory 137 will be updated eventually).

As to claim 77, Emer et al.'741 also discloses: a plurality of interrupts (INTR, NMI, SMI) are monitor break events which cause resumption of the first thread (see Col. 5, lines 39-40, regarding the write to a specified location in memory space and note the write will eventually cause an interrupt for the I/O operation).

Art Unit: 2183

As to claim 78, Emer et al.'741 also discloses: the processor of claim 77 wherein a powerdown event is not a monitor break event (since the Emer et al.'741 does not indicate to use the powerdown event for controlling the system).

As to claim 79, Emer et al.'741 also discloses: the processor of claim 70 further comprising an instruction buffer (355 see Fig. 4, and col. 6, lines 35-39) which can be combined to form a single partition dedicated to one thread or can be partitioned to be used by the plurality of threads (see col. 6, lines 35-39).

As to claim 80, Emer et al.'741 also discloses: the processor of claim 70 further comprising a front end (comprising fetch thread chooser 301, see Fig. 3 or map thread chooser 351, see Fig. 4), which performs microoperation (uOP) generation, generating uOPs from macroinstructions (since the fetched instructions will be decoded before execution in the Emer et al.'741's system).

As to claim 81, Emer et al.'741 also discloses: the processor of claim 80 wherein said processor is capable of out-of-order execution and wherein said first instruction is followed by a store fence (this is the step when using cache-coherence protocol as indicated in col. 7, lines 51-64).

Art Unit: 2183

As to claim 82, Emer et al.'741 also discloses: The processor of claim 70 wherein a second operand (in the instruction such as LDQ ARM R1, (R5), see Col. 6, line 56) specifies events to mask.

As to claim 83, Emer et al.'741 also discloses: the processor of claim 82 wherein one mask bit (such as the bit in Watch flag 105) indicates that masked interrupts break restart the first thread (see Col. 36, lines 1-6, regarding a change to the lock 139 referenced in the event identification register 103) despite interrupts being masked.

As to claim 84, Emer et al.'741 also discloses: The processor of claim 70 wherein said first instruction is an instruction having only implicit operands (in the instruction such as LDQ ARM R1, (R5), see Col. 6, line 56).

As to claim 85, Emer et al.'741 also discloses: the processor of claim 70 further comprising: coherency logic (since the Emer et al.'741's system use cache-coherence protocol as indicated in col. 7, lines 51-64) to perform a read line transaction in conjunction with suspending the first thread.

As to claim 86, Emer et al.'741 also discloses: The processor of claim 85 wherein said coherency logic is to perform a cache line flush to flush internal caches in conjunction (since the invalid cache data will be updated in the cache therein) with suspending the first thread.

Art Unit: 2183

As to claim 87, Emer et al.'741 also discloses: The processor of claim 70 wherein said processor is to monitor for a request for ownership or an invalidate cycle to the monitor address (since the Emer et al.'741's system use cache-coherence protocol as indicated in col. 7, lines 51-64).

As to claim 88, Emer et al.'741 also discloses: The processor of claim 70 wherein said processor is to assert a hit signal during a snoop phase of a bus transaction implicating the monitor address (as set forth above since the Emer et al.'741's system use cache-coherence protocol as indicated in col. 7, lines 51-64).

As to claim 89, Emer et al.'741 also discloses: The processor of claim 88 wherein the monitor is to cause said plurality of partitionable resources (such as the thread processing units TPU #1 to TPU #N see Fig. 2) to be re-partitioned to accommodate execution of said first thread in response to the memory access to the monitor address.

As to claim 90, Emer et al.'741 also discloses: The processor of claim 89 wherein said plurality of partitionable resources (the thread processing units TPU #1 to TPU #N see Figs. 2 and 6) comprise: an instruction queue (such as 305 see Fig. 2); a re-order buffer (such as 361 see Fig. 2); a pool of registers

Art Unit: 2183

(such as 309 see Fig. 2); a plurality of store buffers (such as 403A see Fig. 6).

As to claim 91, Emer et al.'741 also discloses: The processor of claim 90 further comprising: a plurality of duplicated resources (the thread processing units TPU #1 to TPU #N see Figs. 2 and 6), said plurality of duplicated resources being duplicated for each of said plurality of threads, said plurality of duplicated resources (the thread processing units TPU #1 to TPU #N see Figs. 2 and 6) comprising:

a plurality of processor state variables; an instruction pointer; register renaming logic (the above elements are certainly existing in the SMT system such as Emer et al.'741's processor shown in Figs. 2 and 6).

As to claim 92, Emer et al.'741 also discloses: The processor of claim 91 further comprising: a plurality of shared resources (the thread processing units TPU #1 to TPU #N see Figs. 2 and 6), said plurality of shared resources being available for use by any of said plurality of threads, said plurality of shared resources comprising: said plurality of execution units (such as ALUs inside the thread processing units TPU #1 to TPU #N see Figs. 2 and 6); a cache (311 see Fig. 3); a scheduler (such as controllers inside the thread processing units TPU #1 to TPU #N see Figs. 2 and 6).

Art Unit: 2183

As to claim 94, Emer et al.'741 also discloses: The processor of claim 93 wherein said implicit operand is to indicate a linear address, and wherein said processor further comprises address translation logic (such as mapper 361, see Fig. 4 and Col. 6, lines 40-49) to translate said linear address to obtain the monitor address which is a physical address.

As to claim 95, Emer et al.'741 also discloses: The processor of claim 93 further comprising: coherency logic (since the Emer et al.'741's system use cache-coherence protocol as indicated in col. 7, lines 51-64) to ensure that no cache in another processor coupled to the processor stores information at said monitor address in a modified or exclusive state (see Col. 7, lines 45-65 regarding "SHARED" and "Exclusive" states).

As to claim 96, Emer et al.'741 also discloses: The processor of claim 93 wherein said coherency logic is to assert a hit signal

in response to another processor snooping the monitor address (since the Emer et al.'741's system use cache-coherence protocol as indicated in col. 7, lines 51-64; and many CPUs are used in the system as shown in Fig. 6).

As to claim 97, Emer et al.'741 also discloses: The processor of claim 95 wherein said coherency logic is to assert a hit signal in response to another processor snooping the

Art Unit: 2183

monitor address (as set forth above, since the Emer et al.'741's system use cache-coherence protocol as indicated in col. 7, lines 51-64; and many CPUs are used in the system as shown in Fig. 6).

As to claim 109, Emer et al.'741 also discloses: The system of claim 108 wherein said memory (137 see Fig. 2 or 311 see Fig. 3) is to store a second instruction from said first thread, and wherein said first processor is to suspend said first thread in response to the second instruction.

As to claim 110, Emer et al.'741 also discloses: The system of claim 109 wherein said monitor is to set a monitor event pending indicator (watch flag 105, see Fig. 2) in response the memory access occurring, said monitor event pending indicator (watch flag 105, see Fig. 2) to cause said first processor to resume a thread once unmasked by said second instruction.

As to claim 111, Emer et al.'741 also discloses: The system of claim 108 wherein said first processor (one of the thread processing units TPU #1 to TPU #N see Fig. 2) includes a first cache (such as 311, see Fig. 3), the system further comprising: a second processor (another one of the thread processing units TPU #1 to TPU #N see Figs. 2 and 6) comprising a second cache (such as another 311 in the Emer et al.'741's system, see Fig. 3), wherein said first processor drives a bus transaction

Art Unit: 2183

(through bus 405 see Fig. 6) to the second processor to force said second processor to broadcast to the first processor any transactions that allow alteration of data stored at the monitor address in the second cache.

As to claim 112, Emer et al.'741 also discloses: The system of claim 111 wherein said first processor is to assert a signal preventing said second processor from caching data at the monitor address in a state which would allow the second processor to modify data stored at the monitor address in the second cache without broadcasting that a modification is occurring (as set forth above, since the Emer et al.'741's system use cache-coherence protocol as indicated in col. 7, lines 51-64; and many CPUs are used in the system as shown in Fig. 6).

As to claim 113, Emer et al.'741 also discloses: The system of claim 112 wherein said signal indicates a cache hit and prevents the second cache from storing data at the monitor address in an exclusive state (as set forth above, since the Emer et al.'741's system use cache-coherence protocol as indicated in col. 7, lines 51-64; and many CPUs are used in the system as shown in Fig. 6; see also Col. 7, lines 45-65 regarding "SHARED" and "Exclusive" states).

Art Unit: 2183

As to claim 114, Emer et al.'741 also discloses: The system of claim 110 wherein said first processor is further to resume the first thread if an alternative event (see Col. 5, lines 39-40, regarding the write to a specified location in memory space) occurs.

As to claim 115, Emer et al.'741 also discloses: The system of claim 114 wherein said alternative event is an interrupt (see Col. 5, lines 39-40, regarding the write to a specified location in memory space and note the write will eventually cause an interrupt for the I/O operation).

Allowable Subject Matter

7. Claims 98, 100, and 103-107 are allowed.

8. Claims 99, 101 and 102 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action.

9. Claim 116 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Art Unit: 2183

10. The following is a statement of reasons for the indication of allowable subject matter: Emer et al.'741, the closest reference, and the other prior art do not teach or fairly suggest: specifically, the steps such as: executing a bus transaction by a monitoring bus agent to ensure no other bus agent has sufficient ownership of data associated with said physical address to allow another bus agent to modify the data without informing the monitoring bus agent; and signaling a hit if another bus agent reads said physical address. Further, the combination of the set forth limitations with all of the limitations in claim 98 is not obvious.

Conclusion

11. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Turner et al. discloses method for allowing multiple processing threads and tasks to execute on one or more processor units for embedded real-time processor systems. The system provides an efficient processing system and environment in which a variety of application threads may share the processing bandwidth and system resources cooperatively and efficiently,

Art Unit: 2183

with minimized coupling of the application threads to each other and system resource control details. Joy et al. discloses : vertically and horizontally threaded processor with multidimensional storage for storing thread data. The multidimensional storage is formed by constructing a storage, such as a register file or memory, as a plurality of two-dimensional storage planes.

Contact Information


12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Henry Tsai whose telephone number is (571) 272-4176. The examiner can normally be reached on Monday-Thursday from 8:00 AM to 5:00 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner supervisor, Eddie Chan, can be reached on (571) 272-4162. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the TC central telephone number, 571-272-2100.

13. In order to reduce pendency and avoid potential delays, Group 2100 is encouraging FAXing of responses to Office actions directly into the Group at fax number: 571-273-8300. This

Art Unit: 2183

practice may be used for filing papers not requiring a fee. It may also be used for filing papers which require a fee by applicants who authorize charges to a PTO deposit account.

Please identify the examiner and art unit at the top of your cover sheet. Papers submitted via FAX into Group 2100 will be promptly forward to the examiner.



HENRY W. H. TSAI
PRIMARY EXAMINER
July 25, 2005